# HA-2000

# Datasheet



The HA-2000 GPR horn antenna has all the properties of the HA-1000, but it has a double the center frequency. This means that thinner layers of asphalt in road investigations can be isolated easily.

This antenna is equipped with very sensitive electronics and the weak signal is further amplified with a very low noise amplifier to obtain access to even the faintest of the reflections.

By shifting the Bandwidth and the center frequency of the antenna to 2GHz as expected we got an antenna working on the same principles like the HA-1000. The difference is that now we have a significantly improved resolution and therefore can determine much thinner layers. This of course comes at the price of maximum penetration depth.

Nevertheless, when combined with HA-1000 and/or FLB-390 into a full fledged Road Survey System this antenna will record even the smallest changes in the asphalt layer. This is very valuable in planning the asphalt layer replacement or localized reparation.



### Mechanical and Environmental Specifications

Dimensions LxWxD (mm/inches)

Weight (kg/pounds)

Fastening points LxW (mm/inches)

Ingress Protection

Operating Temperature (°C / °F)

Relative Humidity (%)

213x517x445 / 8.38x20.35x17.52

6.5 / 14.33

120x60 / 4.72x2.36

IP65

≥100

from -25 to +40 /from 14 to +104

99 (NC)

## Electrical Specifications

Antenna Type	TEM Horn Antenna	
Shield Type	Un-shielded	
Distance between the TX and RX (mm/inches)	300 / 11.81	
Feed point impedance (Ohms)	50	
Transmitted Pulse Amplitude (Volts)	40	
Receiver Sensitivity (µVolts)	4	
Antenna Bandwidth (at 10dB)	86%	
Antenna Center frequency (MHz at 10dB BW)	1900	
Survey Wheel Output Voltage (Volts)	5.01	
3, 3, 3, 3, 4, 4, 5, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,		

#### Recommended Specifications

Pulse repetition Frequency, PRF (kHz)

Scan Rate, Traces/Second	100
Range (ns), (depends on soil penetration)	5-20
Low Pass Filter Cut-Off Frequency (MHz)	4000
High Pass Filter Cut-Off Frequency (MHz)	1000
Gain	Adjust to 75% Swing
Distance from surface (cm / inch)	50 - 75 / 19.68 – 29.53

#### Accessories


- CMH-201 Single antenna car mounting kit
- CMH-203 Three antennas car mounting kit

Page 2 of 4 REV: EN170513-07

<sup>\*</sup>Accessories are not included



1. HA-2000 is easily mounted on a vehicle.



2. Road inspection processed data.

Note: The information in this datasheet is based on the latest information at the time of publication. Geoscanners AB® reserves the right to make changes at any time, without notice to color, specifications, accessories, materials and models. For more information contact the Geoscanners AB Sales Department +46(0)92153020. ©2015 Geoscanners AB, Sweden.

Page 3 of 4 REV: EN170513-07

# Terms of use

Geoscanners AB has made all reasonable efforts to ensure that all information provided through this document is accurate at the time of inclusion; however, there may be inadvertent and occasional errors for which Geoscanners AB apologizes.

Geoscanners AB accepts no liability for any inaccuracies or omissions in this document and any decisions based on information contained in this document are the sole responsibility of the reader. Geoscanners AB accepts no liability for any direct, special, indirect, or consequential damages, or any other damages of whatsoever kind, resulting from whatever cause through the use of any information obtained either directly or indirectly from this document.

This document may not be copied, reproduced, re-published, downloaded, posted, broadcast or transmitted in any way except for your own personal use. Any other use requires the prior written permission of Geoscanners AB. You agree not to adapt, alter or create a derivative work from any of the material contained in this document or use it for any other purpose other than for your personal use. You agree to use this document only for lawful purposes, and in a manner which does not infringe the rights of, or restrict or inhibit the use and enjoyment of this document by any third party.

This document and the information, names, images, pictures, logos and icons regarding or relating to Geoscanners AB, its products and services (or to third party products and services), is provided "AS IS" and on an "IS AVAILABLE" basis without any representation or endorsement made and without warranty of any kind whether express or implied, including but not limited to the implied warranties of satisfactory quality, fitness for a particular purpose, non-infringement, compatibility, security and accuracy.

In no event will Geoscanners AB be liable for any damages including, without limitation, indirect or consequential damages, or any damages whatsoever arising from use or loss of use, data, or profits, whether in action of contract, negligence or other tortuous action, arising out of or in connection with the use of this document. Geoscanners AB does not warrant that the functions contained in the material contained in this document will be uninterrupted or error free, that defects will be corrected. The names, images and logos identifying Geoscanners AB and their products and services are proprietary marks of Geoscanners AB. Nothing contained herein shall be construed as conferring by implication or otherwise any license or right under any trade mark or patent of Geoscanners AB, or any other third party.

If there is any conflict between these Terms and Conditions and rules and/or specific terms of use appearing in this document relating to specific material then the latter shall prevail.

If any of these Terms and Conditions should be determined to be illegal, invalid or otherwise unenforceable by reason of the laws of any state or country in which these Terms and Conditions are intended to be effective, then to the extent and within the jurisdiction which that Term or Condition is illegal, invalid or unenforceable, it shall be severed and deleted from this clause and the remaining terms and conditions shall survive, remain in full force and effect and continue to be binding and enforceable.

These Terms and Conditions shall be governed by and construed in accordance with the laws of Sweden. Disputes arising here from shall be exclusively subject to the jurisdiction of the courts of Sweden.

If these Terms and Conditions are not accepted in full, the use of this document must be terminated immediately.

Page 4 of 4 REV: EN170513-07